

Certificate of Analysis

Description: THC-Free Distillate
Batch Number: D01VJ191
Sample Test Date: 24/Oct/2022
Expiry Date: 19/Oct/2024
Test Method: Cannabinoid analysis by HPLC

Cannabinoid	Specification	Result (mg/g)	Result (%w/w)
CBD (Cannabidiol)	>90%	895.92	89.59
CBD A (Cannabidiolic acid)	<0.02% (LOQ)	ND	ND
CBD V (Cannabidvarin)	<0.5%	ND	ND
CBD VA (Cannabidvarinic Acid)	<0.02% (LOQ)	ND	ND
CBG (Cannabigerol)	<5%	30.46	3.05
CBC (Cannabinchromene)	<1%	ND	ND
CBCA (Cannabichromenic Acid)	<0.02% (LOQ)	ND	ND
Δ8 THC (Delta 8-Tetrahydrocannabinol)	<0.005% (LOD)	ND	ND
Δ9 THC (Delta 9-Tetrahydrocannabinol)	<0.005% (LOD)	ND	ND
THCA (Tetrahydrocannabinolic Acid)	<0.005% (LOD)	ND	ND
THCV (Tetrahydrocannabivarin)	<0.005% (LOD)	ND	ND
THCVA (Tetrahydrocannabivarinic Acid)	<0.005% (LOD)	ND	ND
CBN (Cannabinol)	<0.02% (LOQ)	ND	ND

LOD = Limit of Detection (0.005%)
 LOQ = Limit of Quantification (0.02%)
 ND = Not Detected

This COA has been created by a qualified member of Breathe Life Sciences' Analytical Chemist Team and approved.



Dr Richard Watson

Chief Scientific Officer